

OPERATING INSTRUCTIONS FOR THE AUTHORISATION DEVICE DIGIPASS 500



Attention!	Immediately after receiving the new authorization device, and not having used the device for a
	long period, please, check the correctness of the timer setup, which is important for generating
	correct electronic signatures – see point 5.

- DIGIPASS electronic device that is used by Citadele Bank Clients for calculation of electronic signatures that can be accepted by the Bank to substitute to Client signature and/or seal. Electronic signatures are calculated by the Client, based on data derived from instructions that Client submits to the Bank.
- Each particular device can be configured to operate one or several Client accounts. Also, several different devices can be used to manage one Client account.
- Based on the client instructions (signed with electronic signatures) Bank may issue an additional DIGIPASS device capable to handle electronic signature calculation for the client account to the client' attorney, which will allow for independent account management.
- DIGIPASS device, apart from regular calculator keys layout is fitted with three special buttons (I,S,T), as well as with 12 digits alphanumerical LCD (liquid crystal display).
- DIGIPASS is switched on by pressing "ON/OFF" button. Sequential push on "ON/OFF" button will switch off the device. DIGIPASS will switch itself off automatically if left idle (no buttons pressed) for 30-40 seconds.
- To access the DIGIPASS functions (excluding the calculator functions) user has to enter 5-digit PIN-code.
- ATTENTION!!!: DIGIPASS will be blocked after 3 (three) unsuccessful attempts of PIN-code entry. In this case, client will have to return currently used DIGIPASS device to the Bank and apply for a new DIGIPASS, after having paid the correspondent fee. The device is blocked when pressing the key "I" symbol "0" is displayed on screen, and pressing the key "S" the serial number of the device is displayed on screen.
- DIGIPASS can be used for electronic signature calculation only after its initial PIN-code that is advised to the client initially has been changed to the client's own PIN-code.
- Client is solely responsible for keeping DIGIPASS PIN-code private (i.e. keeping it securely and not giving it out to the unauthorized persons, including Bank's staff), loss of the DIGIPASS device, and all the transactions that have been executed by the Bank based on the instructions signed with the electronic signatures calculated by the client (or otherwise duly authorized person) using DIGIPASS device.
- DIGIPASS device utilizes a power source in a form of lithium (Li) batteries with the nominal charge that would be able to support DIGIPASS operation for 2-3 years, depending on the use frequency. Once there is a sign that the batteries low on power (message on display – "BATTERY LOW") they should be changed sequentially: first the larger, then the smaller. Should the user attempt to change the batteries both at the same time, or should the user fail to change the batteries in a timely manner, this will cause a full erasing of the DIGIPASS device. Should this happen, the DIGIPASS device shall be returned to the Bank for the re-conditioning.
- Use and storage of the DIGIPASS device near the source of electro-magnetic fields (near cellular phones, loud speakers and other emitting devices) is strictly PROHIBITED, as it may cause a permanent damage to the device.
- If the device is transported from the between areas of different temperatures (from cold to warm or vice-versa) it should be given 20-30 minutes to adjust to the temperature change.
- Each and every pair of electronic signatures should be calculated using strictly the fields of a corresponding message.

1. Change of the initial PIN-code to the client own PIN-code

ATTENTION!!! This procedure is mandatory and should be done one time only – when the DIGIPASS device is received and switched on for the first time. The following actions should be undertaken:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "I" button	INIT PIN	This message indicates that no one has operated this device
			before you.
3.	Key-in 5 digits of the initial PIN-code.	*****	Provided by the Bank.
4.	Press "=" key	PIN?	
5.	Key in a PIN-code that is invented by YOU	****	PIN-code can be a combination of any 5 digits, except for 5 sequential
			or 5 similar digits.
6.	Press "=" button	WEAK PIN	This indicates that Your PIN-code security is low. Please enter a new
		PIN?	PIN-code.
		REPEAT PIN:	Confirm your PIN-code.
7.	Re-enter your PIN-code	****	
8.	Press "=" button	0	Your new PIN-code has been set

When required by the DIGIPASS to enter Your PIN-code, please use the code that you have newly formed.

2. PIN-code modification

If you want to change your current PIN-code, please follow the instructions:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "I" button	PIN?	
3.	Simultaneously press and release buttons "T" and "+"	OLD PIN?	
4.	Key-in current 5 digit PIN-code number	****	Enter Your current PIN-code.
5.	Press "=" button	NEW PIN?	
6.	Key-in newly formed PIN-code	****	

= Citadele

OPERATING INSTRUCTIONS FOR THE AUTHORISATION DEVICE DIGIPASS 500



7.	Press "=" button	WEAK PIN	PIN-code can be a combination of any 5 digits, except for 5 sequential		
		PIN?	or 5 similar digits.		
		REPEAT PIN:	Confirm your PIN-code.		
8.	Re-enter your PIN-code	****			
9.	Press "=" button	0	Your PIN-code has been changed.		

3. Electronic signature calculation

Please note: if you operate the device in order to sign a document in Citadele online banking, all the parameters for generating the electronic signatures are displayed on the document signature screen!

Attention !!! It is a mandatory requirement that all the data used in electronic signature calculations should be present in any instructions given by the client to the Bank. Calculation sequence should be strictly followed.

3.1. Signing a payment order

For an electronic signature calculation while completing a payment order, please follow the instructions below ACTION DISPLAY MESSAGE NOTES Press "ON/OFF" button 0 1 2. Press "S" button PIN? Key-in PIN-code ***** 3. 4. Press "=" button Wait till symbol "_" (underscore) appears. 5. Key-in current account number Citadele bank account number consists of 21 symbols (IBAN standard). It is necessary to enter the account's last 12 digits. Press "=" button Wait till symbol "_" (underscore) appears 6. 7. Key-in currency code Use the value (3 digits) from the «Currency codes» table. Press "=" button Wait till symbol "_" (underscore) appears. 8. Enter the amount without decimal part (i.e. omit cents, pens, etc). 9. Key-in the payment amount 10. Press "=" button Wait till symbol "_" (underscore) appears. a) If the beneficiary account number consist of 12 11. Key-in the beneficiary account number digits or less and contains numerical characters only, then the whole number should be keyed in; b) if the beneficiary account number consists of more than 12 digits, then only last 12 digits should be used for calculation; c) if the beneficiary account number contains non-numerical characters (letters, punctuation, etc), those should be omitted, and only numbers used for calculation. If beneficiary account contains more than 12 digits, rule b) is applied For Example: Beneficiary account Numbers number on the payment used for calculation 00 099 0000 000990000 a) 111222333444555666777 444555666777 b) 31A2D2984-589M111 122984589111 c) LV84LACB0000435195001 000435195001 d) 12. Press "=" button Wait till symbol "_" (underscore) appears K"XX" That is the first electronic signature in the pair. "XX" is circling from 13. Press "=" button, do not enter any parameters "00" to "99". Write this signature to the payment order. "XXXXXXXXXXX" 14. Press "=" button, do not enter any parameters This is the second electronic signature in the pair. It should be 10 digits long. Write this electronic signature to the payment order.

3.2. Signing the payment order batch

Please note: if you operate the device in order to sign a payment order batch in Citadele online banking, all the parameters for generating the electronic signatures are displayed on the payment order batch signature screen!

With a single electronic signature of the authorization device may be validated up to 50 payment orders.

Limit of the confirmation of several payment orders with one DIGIPASS electronic signature is EUR 142,300 (or equivalent amount in other currencies).

For an electronic signature calculation while completing a payment order batch, please follow the instructions below:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "S" button	PIN	
3.	Key-in PIN-code	****	
4.	Press "=" button		Wait till symbol "_" (underscore) appears.
5.	Key-in the payment batch ID		
6.	Press "=" button		
7.	Key-in the payment batch total amount		
8.	Press "=" button		Wait till symbol "_" (underscore) appears.



OPERATING INSTRUCTIONS FOR THE AUTHORISATION DEVICE DIGIPASS 500



9. Press "=" button, do not enter any parameters	K"XX"	That is the first electronic signature in the pair. "XX" is circling from "00" to "99". Write this signature to the payment order.
10. Press "=" button, do not enter any parameters	"XXXXXXXXXX"	This is the second electronic signature in the pair. It should be 10 digits long. Write this electronic signature to the payment order.

3.3. Signing the cash withdrawal preliminary arrangements

Please note: if you operate the device in order to sign a document in Citadele online banking, all the parameters for generating the electronic signatures are displayed on the document signature screen!

For an electronic signature calculation it is necessary to do the following:

ACTION	DISPLAY MESSAGE	NOTES
1. Press "ON/OFF" button	0	
2. Press "S" button	PIN?	
3. Enter PIN-code	****	
4. Press "=" button		Wait till symbol "_" (underscore) appears
5. Key-in your account number		Citadele bank account number consists of 21 symbol (IBAN standard). It is necessary to enter the account's last 12 digits.
6. Press "=" button		Wait till symbol "_" (underscore) appears
7. Key-in currency code		Use the value (3 d igits) from the «Currency codes» table.
8. Press "=" button		Wait till symbol "_" (underscore) appears
9. Key-in the withdrawal amount		Enter the amount without decimal part (i.e. omit cents, pens, etc).
10. Press "=" button		Wait till symbol "_" (underscore) appears
11. Key-in the beneficiary ID number		All numerical elements from the passport or driver license number are keyed in, except roman numerical
12. Press "=" button		Wait till symbol "_" (underscore) appears
13. Press "–" button	К"ХХ"	That is the first electronic signature in the pair. "XX" is circling from "00" to "99". Write this signature to the payment order.
14. Press "=" button	"XXXXXXXXX"	This is the second electronic signature in the pair. It should be 10 digits long.

3.4. Signing the application for placing a term deposit

Please note: if you operate the device in order to sign a document in Citadele online banking, all the parameters for generating the electronic signatures are displayed on the document signature screen!

For an electronic signature calculation while completing an application for placing a term deposit it is necessary to do the following:

ACTION	DISPLAY MESSAGE	NOTES				
1. Press "ON/OFF" button	0					
2. Press "S" button	PIN?					
3. Enter PIN-code	*****					
4. Press "=" button		Wait till symbol "_" (underscore) appears.				
5. Key-in current account number		Citadele bank account number consists of 21	1 symbol (IBAN			
		standard). It is necessary to enter				
		the account's last 12 digits.				
6. Press "=" button		Wait till symbol "_" (underscore) appears				
7. Key-in currency code		Use the value (3 digits) from the «Currence	су –			
		codes» table.				
8. Press "=" button		Wait till symbol "_" (underscore) appears.				
9. Key-in the payment amount		Enter the amount without decimal part (i.e. omit cents, pens, etc).				
10. Press "=" button	Wait till symbol "_" (underscore) appears.					
11. Enter interest rate		In this field enter the interest rate. Before en	ntering the interest rate,			
		it has to be multiplied by 10 000.				
		Example:				
		Interest rate Ir	nput number			
		a) 1,7%	17000			
		b) 5,25%	52500			
12. Press "=" button		Wait till symbol "_" (underscore) appears				
13. Press "=" button, do not enter any parameters K"XX"		That is the first electronic signature in the pair. "XX" is circling				
	from "00" to "99". Write this signature to					
14. Press "=" button, do not enter any parameters	"XXXXXXXXXXX	This is the second electronic signature in the pair. It should be 1				
		digits long. Write this electronic signature to the payment order.				

3.5. Signing the free-form order, client's questionnaire or the Contract on financial instruments accounts and transactions

Please note: if you operate the device in order to sign a document in Citadele online banking, all the parameters for generating the electronic signatures are displayed on the document signature screen!

If you want to execute transfer investigations or cancellation, phone password change etc., it is necessary to deliver a free-form application to the Bank.

OPERATING INSTRUCTIONS FOR THE AUTHORISATION DEVICE DIGIPASS 500



For an electronic signature calculation for the free-form order or client's questionnaire, or the Contract on financial instruments accounts and transactions (signing the contract in Citadele online banking) it is necessary to do the following:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "S" button	PIN?	
3.	Key-in PIN-code	****	
4.	Press "=" button		Wait till symbol "_" (underscore) appears
5.	Enter your account number for a free form order or your client ID in Bank in case of composing the questionnaire or the Contract on financial instruments accounts and transactions		Citadele bank account number consists of 21 symbol (IBAN standard). It is necessary to enter the account's last 12 digits. Client ID is a number that is allocated to client by the information system of Bank.
6.	Press "=" button		Wait till symbol "_" (underscore) appears
7.	Press "=" button	К"ХХ"	This is the first electronic signature in the pair. "XX" is circling from "00" to "99".
8.	Press "=" button	"XXXXXXXXXXX"	This is the second signature in the pair. It should be 10 digits long.

4. Calculating an electronic signature for access to Citadele online banking

Generation of authorization code for Online banking is performed in the following sequence:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "I" button	PIN?	
3.	Key-in PIN-code	****	
4.	Press "=" button	6-digit number	Input the 6-digit code into "Authorization Code" field for logging in.

5. To check the DIGIPASS device integrity (perform integrity and calculation check)

If you doubt the integrity of the DIGIPASS device, it is necessary to do the following:

	ACTION	DISPLAY MESSAGE	NOTES
1.	Press "ON/OFF" button	0	
2.	Press "T" button	1) First 7 digits of	To check the device integrity please communicate the 6 digits of test
		device serial number;	sequence number to the bank
		2) after 5-7 seconds - 6 digits	account officer immediately The code is valid for 30 min.
		test sequence number	

CURRENCY CODES

AED	United Arab Emirates Dirham	784	ILS	Israeli Shekel	376	UAH	Ukrainian Hryvna	980
AUD	Australian Dollar	36	ISK	Iceland Krona	352	USD	US Dollar	840
BGN	Bulgarian Lev	975	JPY	Japanese Yen	392	UZS	Uzbekistan Sum	860
BYN	Belarusian Rubble	974	KZT	Kazakhstan Tenge	398	ZAR	South African Rand	710
CAD	Canadian Dollar	124	MDL	Moldovan Leu	498			
CHF	Swiss Franc	756	NOK	Norwegian Krone	578			
CZK	Czech Koruna	203	NZD	New Zealand Dollar	554			
DKK	Danish Krone	208	PLN	Polish Zloty	985			
EUR	Euro	978	RUR	Russian Ruble	643			
GBP	British Pound	826	SEK	Swedish Krona	752			
HKD	Hong Kong Dollar	344	SGD	Singapore Dollar	702			
HUF	Hungary Forint	348	TRL	Turkish Lira	792		Other currencies	0